2 .
EAAA
I/VIA_
,

	Application No.	Applicant(s)		
A1 - (*	10/750,504	ROOD, RICHARD I	ζ.	
Notice of Allowability	Examiner	Art Unit	-	
	Terrence R. Till	1744		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to the amendment filed s	<u>5/18/05</u> .			
2.  The allowed claim(s) is/are <u>5,6,8-13,15-17,19 and 20</u> .				
3. The drawings filed on are accepted by the Examiner	t.			
4.				
Attachment(s)  1.  Notice of References Cited (PTO-892)  2.  Notice of Draftperson's Patent Drawing Review (PTO-948)  3.  Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal Pa 6. Interview Summary ( Paper No./Mail Date 8), ZExaminer's Amendm 8. Examiner's Statemen 9. Other	PTO-413), e ent/Comment	·	
U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) No	tice of Allowability	Part of Paper No./M	ail Date 20050602	



Art Unit: 1744

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with M. Saito on 6/2/05.

The application has been amended as follows:

- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: The replacement sheet of drawings, received 5/18/05, contains copy marks that reduce the quality of the figures. It was requested that applicant provides a clean drawing sheet at, or before, the time the issue fee is paid. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- The following is an examiner's statement of reasons for allowance: With respect to claim 6, it should be pointed out that the prior art vacuum dustpans all deposit debris into a collection chamber from above or into a filter bag from the side. Thus there is no need to modify the prior art vacuum dustpans to provide a flapper at the opening of the collection chamber- as stated in the claim.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 1744

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Terrence R. Till whose telephone number is (571) 272-1280. The examiner can normally be reached on Mon. through Thurs. and every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sun U. Kim can be reached on (571) 272-1142. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Terrence R. Till Primary Examiner Art Unit 1744